

IEBCOPY

File	17
Op-Sys	OS/390
Statement	PROCESS
Task	Run the IEBCOPY utility under the Entire System Server and build input cards for IEBCOPY. Knowledge of IEBCOPY syntax is not required.

Common Fields for all Operating Systems

Dictionary Field Name	F/L	Mu	DE	Remarks
ERROR-CODE	N3			
ERROR-TEXT	A58			
NODE	N3		D	
NODE-NAME	A16		D	
FROM-DSNAME	A54		D	Required.
FROM-MEMBER	A10		D	Required.
FROM-VOLSER	A6		D	Required if dataset is not cataloged.
FROM-PASSWORD	A8		D	Required if dataset is password protected.
TO-DSNAME	A54		D	Required.
TO-MEMBER	A10		D	
TO-VOLSER	A6		D	Required if dataset is not cataloged.
TO-PASSWORD	A8		D	Required if dataset is password protected.
REPLACE	A3		D	
LINE	A121		D	
COMPLETION-CODE	B2		D	

Supported for Compatibility

Dictionary Field Name	F/L	Mu	DE	Remarks
IN-DSNAME	A54		D	
IN-MEMBER	A10		D	
IN-VOLSER	A6		D	
IN-PASSWORD	A8		D	
OUT-DSNAME	A54		D	
OUT-MEMBER	A10		D	
OUT-VOLSER	A6		D	
OUT-PASSWORD	A8		D	

Relevant Error Codes

Code	Text	OS/390
778	Not APF authorized	X
551	"MEMBER" missing	X

Field Descriptions

Field Name	Type/Length	Operating System
COMPLETION-CODE	(B2)	

IEBCOPY completion code.

Field Name	Type/Length	Operating System
FROM-DSNAME	(A54)	

Fully qualified input dataset name.

Field Name	Type/Length	Operating System
FROM-MEMBER	(A10)	

Name of member to be copied. Select all members in the dataset by specifying an asterisk *.

Field Name	Type/Length	Operating System
FROM-PASSWORD	(A8)	

Password for input dataset if the dataset is password protected.

Field Name	Type/Length	Operating System
FROM-VOLSER	(A6)	

Volume serial number of input dataset. Required if the dataset is not cataloged.

Field Name	Type/Length	Operating System
LINE	(A121)	

IEBCOPY output line.

Field Name	Type/Length	Operating System
REPLACE	(A3)	

Specifies whether the member in the output dataset is to be replaced. Possible options:

Option	Explanation
NO	Do not replace member if it already exists in the output dataset.
YES	Replace member if it already exists in the output dataset.

Field Name	Type/Length	Operating System
TO-DSNAME	(A54)	

Fully qualified output dataset name.

Field Name	Type/Length	Operating System
TO-MEMBER	(A10)	

Name to be assigned to the member in the output dataset. If omitted, the output member name is used.

Field Name	Type/Length	Operating System
TO-PASSWORD	(A8)	

Password for output dataset if the dataset is password protected.

Field Name	Type/Length	Operating System
TO-VOLSER	(A6)	

Volume serial number of output dataset. Required if the dataset is not cataloged.